



Marketing KatzAzz Products

Brakeblaster
CLEANER



Low Odor
Parts Cleaner



LUBRATEx
FULL
SYNTHETIC
GREASE

Full Synthetic
Grease



Pro MAX

Engine Oil
Additive



DFL
DIESEL FUEL LUBRICANT

Diesel Fuel
Additive



ULTRA-LUBE

All-Purpose
Spray Lube



**KATZ AZZ
JERKY**

Delicious
Nutritious



Brakeblaster

CLEANER

TM



19L.
Part # 809456



500ml.
Part # 809455



Key Features:

- Removes oil residues
- Dries quickly
- Low odor
- Non-toxic
- Non-chlorinated
- Has SGS environmental certification seal
- Contains NO Acetone



BrakeblasterTM

CLEANER



Part # 809455

**Inverted
valve**
spray upside down



Works like the old stuff
... without the health
hazard and smell..
Does not contain
Acetone

Brake Cleaners



North American Brake Cleaner market was expected to increase to over \$4 Billion by 2029, however the market's expansion has been hampered due to the ban on toxic dangerous ingredients. KatzAzz Brakblaster meets or exceeds all environmental and health standards without reducing it's effectiveness to function as consumers have come to expect

SKU 809455



Title Description

Brakeblaster™ Cleaner Aerosol

Spray to dissolve or remove carbon and ash remnants from areas soiled by motor oils and unwanted residues. Safe with rubber and plastics. Cleans parts such as brake discs and other mechanical parts without leaving any film. Fast dry and low odor. Non-chlorinated, meets or exceeds all Canadian environmental requirements. SGS Certified Société Générale de Surveillance. Whenever possible use protective gloves, eye protection and if in confined spaces, use approved breathing apparatus. Ensure you are not eating, drinking, or smoking while applying brakeblaster cleaner. Has been certified to meet or exceed all EPA and CEPA safety and environment requirements. Works like the old brake cleaners. No acetone, Ammonia, Hexane, or Formaldehyde. Inverted nozzled can be sprayed up side down.

MSRP \$ 17.99 / . ea. cdn (call for best pricing 403-302-0110)

Unit Weight 450g. / 1 lb.

Size 17oz. (500ml) Aerosol Spray

Case Quantity 12 cans per case

Case Size 240mm H x 264mm L x 198mm W

Case Weight 6kg. / 13 lb.

Pallet Quantity 120 Case - 6 rows -20 per row

Pallet Weight 715 kg./1600 lb

Product Image



SKU 809456



Title Description

Brakeblaster™ Cleaner Bulk

Spray to dissolve or remove carbon and ash remnants from areas soiled by motor oils and unwanted residues. Safe with rubber and plastics. Cleans parts such as brake discs and other mechanical parts without leaving any film. Fast dry and low odor. Non-chlorinated, meets or exceeds all Canadian environmental requirements. SGS Certified Société Générale de Surveillance. Whenever possible use protective gloves, eye protection and if in confined spaces, use approved breathing apparatus. Ensure you are not eating, drinking, or smoking while applying brakeblaster cleaner. Has been certified to meet or exceed all EPA and CEPA safety and environment requirements. Works like the old brake cleaners. No acetone, Ammonia, Hexane, or Formaldehyde.

MSRP \$ 249.00 cdn (call for best pricing 403-302-0110)

Size 5 gal. / 19 L. Pail

Unit Weight 16 kg. / 39 lb.

Pallet Quantity 48 / pallet

Pallet Weight 640 kg / 1404 lb



ULTRA-LUBE



Soaks into Metal
... like a frikkin
SPONGE



Key Features:



- Lubricant
- Penetrant Rust Dissolve
- Degreaser
- Cleaner
- Corrosion Solvent
- Has SGS environmental certification seal
- Cutting / tapping fluid



ULTRA-LUBE



- Mechanics
- Tradesmen
- Fabricators
- Builders
- Technicians
- Restorers
- Plumbers
- Transporters
- Carriers
- Agriculture
- Trucking
- H.V.A.C.
- Maintenance
- Auto Body
- Machinists
- Aircraft Techs
- Refineries



**Inverted
valve**
spray upside down

Heavy and Light
duty Technicians'
favourite shop
spray

One Product
multi-use



Part # 809454

Versatile spray
eliminates the need
for multiple shop
products.

NO
Silicone ...
will not wash
out



SKU 809454



Title Description

ULTRA-LUBE Aerosol Spray

KatzAzz **ULTRA-LUBE** is formulated with ProMax (Anti-Friction Formula). Advanced technology to lubricate, penetrate, and prevent corrosion, free sticky mechanisms, displace moisture, stop squeaks. Reduce friction and wear on all metal surfaces. Cleans and protects metal surfaces, tools or any metal equipment exposed to water or weather. It provides easy-to-apply protection and lubrication for hundreds of industrial, commercial, automotive and recreational uses. Does NOT contain silicone. Only lube spray you need in the shop. Soaks into metal like a frikkin sponge!

MSRP \$ 17.99 cdn ea. (call for best pricing 403-302-0110)

Unit Weight 570g. / 1.25 lb.

Size 17oz.Ultra-lube Aerosol Spray

Case Quantity 12 cans per case

Case Size 240mm H x 264mm L x 198mm W

Case Weight 6.8kg. / 15 lb

Pallet Quantity 120 Case - 6 rows -20 per row

Pallet Weight 820 kg./1850 lb





ADDITIVES WITH ATTITUDE

PROTECT THE METAL. KEEP THE POWER.

Diesel-grade lubricants and additives built for trucks that work – cold starts, heavy tow, long idle and fleet intervals. Made for mechanics, sold to anyone who'd rather not do the job twice.



Key Features:



- Reduces engine noise
- Extreme lubrication
- Extends engine life
- Conditions engine oils
- Increases fuel mileage
- Prolongs oil change intervals
- Diesel and gas engines



add
10% to
synthetic or
conventional
motor oils

- Light Trucks
- Heavy Trucks
- Race Cars
- Horsepower
- Commercial
- Equipment
- Motorcycles
- Lawncare
- Generators
- Forestry
- Petroleum
- Mining
- Agriculture



Part # 202180

Gas and Diesel
engines

Does not contain
teflon, graphite, or
solid particulates.
100% mineral base...
does not void
warranties.



The engine oil additive market is substantial, and currently valued at \$21 Billion in the USA alone. Predictions indicate a strong growth trend. Growth is being driven by increased vehicle ownership and the need for reducing the high costs of maintenance and repairs.



Why use ProMax

ProMax performance additive made with a highly-concentrated blend of lubricating oils that can be safely used in all types of gas & diesel engines. Eliminates cold start issues especially with HEUI injected Power Strokes. Use to extend engine life, protect from excessive wear, reduces oil consumption, prevents oil breakdown, lowers oil temperatures, raise oil pressure and increase MPG. Blends with all types of conventional and synthetic motor oils. Does not contain Teflon, Graphite, or solid particulates.

- Doubles oil life
- Prevents engine wear
- Reduces heat
- Safe for wet clutches
- Increases horsepower
- Reduces engine noise
- Reduces emissions
- Eliminates 'dry' starts



How to use ProMax

**Just add 10%
to your next
oil change. Feel
and hear
the difference**

ProMax performance additive is quick and easy to use, just pour it right into the engine crankcase. Recommended mixture is 1 part ProMax to 10 parts motor oil. (1:10)) You can do this as part of or in between oil changes. Then add the same amount each time you change the oil. The vehicle manufacturer's recommended service schedule should always be followed. Safe to use in wet clutch transmissions such as Harley Davidson. Use in gearboxes, V-drives, and manual transmissions.

Features and Benefits

F.A.Q

Will it void my warranty? - **NO**
The Magnuson-Moss Warranty Act allows consumers to use additives of their choice without voiding their warranty except for specific additives that have been noted as incompatible. Vehicle manufacturers are not allowed to void the vehicle warranty just because aftermarket parts or additives are on or in a vehicle

Should I treat a brand new motor? **NO**, We recommend following your engine manufacturer's break-in period before adding ProMax.

Is ProMax compatible with synthetic and conventional oils? **YES**. ProMax is suitable for use in both synthetic and conventional engine oil.

ProMax is comprised of highly-concentrated proprietary synthetic ingredients that penetrates and conditions metal components. Formulated by KatzAzz Products in Canada.

SKU 202180



Title ProMAX Performance Oil Additive

Description

ProMax performance additive made with a highly-concentrated blend of lubricating oils and several proprietary ingredients that can be safely used in all types of gas & diesel engines. Eliminates cold start issues especially with HEUI injected Power Strokes. Use to extend engine life, protect from excessive wear, reduces oil consumption, prevents oil breakdown, lowers oil temperatures, raise oil pressure and increase MPG. Blends with all types of conventional and synthetic motor oils. Does not contain Teflon, Graphite, or solid particulates. Doubles oil life - Prevents engine wear - Reduces heat - Safe for wet clutches - Increases Performance - reduces upper engine noise and wear - Reduces emissions - Prevents 'dry' starts. For Diesel and Gas engines

MSRP \$ 49.00 / 1L. cdn (call for best pricing 403-302-0110)

Unit Weight 1.5 kg. / 2.6 lb.

Size 1L. / 34 oz.

Case Quantity 12 bottles per case

Case Size 217mm H x 366mm L x 232mm W

Case Weight 14.5 kg. / 32 lb.

Pallet Quantity 60 Case / 5 rows -12 per row

Pallet Weight 1115 kg./2450 lb



DFL

DIESEL FUEL LUBRICANT



is the only diesel
fuel additive with **Pro MAX**
*Anti-Wear Formula
extreme lubricant*



Key Features:



- Reduces Emissions
- Improves performance
- Increases fuel economy
- Lubricates and cleans
- Cold temp anti-gel
- ULSD compatible
- Contains cetane boost
- Everything in one additive
- Contains **Pro MAX**

DFL

DIESEL FUEL LUBRICANT

One product does everything.

- Medium Trucks
- Heavy Trucks
- Motorhomes
- Tractors
- Forestry
- Oilfield
- Mining
- Marine
- Highway
- Municipal
- Military
- Construction
- Recreation



5 in ONE
ANTI-GEL ①
LUBRICANT ②
CETANE BOOST ③
CONDITIONER ④
WATER EMULSIFIER ⑤



The global diesel fuel additive market is a substantial market, with a projected value of over \$16 billion by 2032. The USA market alone is expected to exceed \$10 billion in 2025. This market is being driven by the rise in medium size diesel trucks, and by consumers being more aware of environmental and emission requirements. The rising costs of repairs and maintenance is also an influence on the rise in diesel fuel additives

DFL

DIESEL FUEL LUBRICANT

Available in 3 formats

1

1 L. bottle



treats 500 L.



medium size diesel powered equipment

2

4 L. jug



treats 2000 L.



large industrial diesel powered equipment

3

350ml. tank shot.



treats one tank.



diesel pickups

DFL

Features and
Benefits

One
product
does
everything



① CETANE BOOST

The **cetane number** of diesel fuel is a measure of its 'ignition quality'. Minimum **cetane number** at the pump is 46. Adding DFL can raise this number up by several points. Increasing the cetane number comes with these important benefits.

- Shortened Ignition delay
- Improved cold starts
- Reduced white smoke
- Reduced emissions
- Reduced engine noise
- Reduced fuel consumption
- Increase Power

The active cetane improver in DFL is **2-Ethylhexyl nitrate**.

When adding DFL to diesel fuel at the 1:500 ratio, the cetane may increase by 8-10 points (depending on fuel manufacturer). Benefits of adding DFL can be realized and noticed immediately in most cases. DFL additive is the best on the market.

② extreme LUBRICANT

Diesel engine injection systems rely on diesel fuel as the lubricant to protect and lubricate the fuel system. When ULSD ultra low sulphur diesel was mandated in 2006, the lubricating capability of diesel fuel dropped significantly. All of the moving parts within the fuel system ie. injectors, in-line pumps and injection pumps, depend solely on the lubrication found within diesel fuel. ULSD fuel has inferior lubrication so that the internal components begin to wear against themselves and in time will fail from dry excessive wear. Downtime and major repair costs follow. DFL contains ProMax anti-friction additive as the component that restores diesel fuel lubrication standards to pre ULSD. DFL is the best diesel fuel lubricant on the market. DFL reduces system component wear

③ prevent WATER DAMAGE

Diesels are susceptible to fuel contamination, which can lead to engine failure, costly injector, pump repairs, and downtime. Fuel contamination occurs when harmful substances such as water, dirt, and debris find their way into the fuel system. The presence of water in diesel fuel is one of the most common types of contamination, and it is often overlooked until it causes significant damage. When water enters the fuel system, it can cause corrosion, rust, and damage to the engine's components. DFL works by breaking down the water molecules, allowing them to be safely burned off by the engine. The active emulifier in DFL is nomenclature: 2-methylpropan-1-ol. Also prevents fuel gel in extreme cold temperatures. DFL dissolves water droplets and prevents bacterial growth.

SKU 350362



Title DFL Diesel Fuel Lubricant - 1L / 34oz

Description Diesel fuel conditioner. Contains CETANE BOOST. -(2-Ethylhexyl nitrate). Add DFL to diesel fuel at the 1:500 ratio. Cetane number may increase up to 8 points (depending on fuel manufacturer). In most cases notice immediate results. Contains extreme lubricant ProMax anti-friction additive as the component that restores and exceeds diesel fuel lubrication standards to pre ULSD. Prevents fuel gel in extreme cold temperatures. Improves starting, reduces fuel consumption, reduces emissions, increases power, shortens ignition delay, increases lubricity, can prevent stiction, protects from cold temperature fuel and fuel filter gel. Bottle has visible mix ratio directions.

MSRP \$ 18.99 cdn ea. (call for best pricing 403-302-0110)

Unit Weight 1kg. / 2 lb.

Size 1L. / 34 oz

Case Quantity 12 bottles per case

Case Size 266mm H x 357mm L x 286mm W

Case Weight 12kg. / 26 lb.

Pallet Quantity 72 Case - 6 rows -12 per row

Pallet Weight 875 kg./1900 lb



SKU 350379



Title Description

DFL Diesel Fuel Lubricant - 4L / 132oz

Diesel fuel conditioner. Contains CETANE BOOST. -(2-Ethylhexyl nitrate). Add DFL to diesel fuel at the 1:500 ratio. Cetane number may increase up to 8 points (depending on fuel manufacturer). In most cases notice immediate results. Contains extreme lubricant ProMax anti-friction additive as the component that restores and exceeds diesel fuel lubrication standards to pre ULSD. Prevents fuel gel in extreme cold temperatures. Improves starting, reduces fuel consumption, reduces emissions, increases power, shortens ignition delay, increases lubricity, can prevent stiction, protects from cold temperature fuel and fuel filter gel. Jug has visible mix ratio directions.

MSRP \$ 72.00 cdn ea. (call for best pricing 403-302-0110)

Unit Weight 4.6kg. / 10 lb.

Size 4L. / 132 oz

Case Quantity 4 jugs per case

Case Size 287mm H x 440mm L x 220mm W

Case Weight 18kg. / 40 lb.

Pallet Quantity 50 Case - 5 rows -10 per row

Pallet Weight 1088 kg./2400 lb

Product Image



SKU 350363



Title Description

DFL Tank Shot / Pak of 3

Same DFL as in the 1L and 4L but in a convenient and handy package. Includes extension spouts to facilitate easy pouring into all diesel tanks. No measuring, one can per tank fill. Notice immediate results in Duramax, Powerstroke, and Cummins light duty engines. Contains extreme lubricant ProMax anti-friction additive as the component that restores and exceeds diesel fuel lubrication standards to pre ULSD. Prevents fuel gel in extreme cold temperatures. Improves starting, reduces fuel consumption, reduces emissions, increases power, shortens ignition delay, increases lubricity, can prevent stiction, protects from cold temperature fuel and fuel filter gel. No more half bottles of nasty smelling additives rolling around in your truck.

MSRP \$ 34.00 cdn / case of 3 Shots

Unit Weight 1.5 kg. / 3 lb. / Pak

Size 3 x 330ml cans per Pak

Case Quantity 6 Paks per case

Case Size 248mm H x 391mm L x 247mm W

Case Weight 8 kg. / 18 lb.

Pallet Quantity 90 Case - 6 rows -15 per row

Pallet Weight 750 kg./1670 lb



6 paks per case



3 shots per pak





Now available and in stock:

GREASE

www.katzazzproducts.com

809280

LUBRATEx

NLGI #2 FULL SYNTHETIC GREASE

"LUBRATEx grease is engineered for the customer who want less downtime, fewer failures, and longer service life – especially in demanding applications."

Why Full Synthetic?

- wider temperature range
- high load capacity
- extended lifespan
- lower overall cost



809280



10 tubes/case



(MSRP)

\$14.00/tube

(call for best pricing 403-302-0110)



Katz Azz Trades Scholarship

JERKY WITH ATTITUDE

As soon as you tear open your bag of KatzAzz Teriyaki Jerky, your sense of smell will be rewarded with a pleasant hint of spicy smoked asian influence. Take a moment to inhale deep as you reach in for a hand crafted bite size chunk. Your first bite confirms what your sense of smell has just suggested as the flavour reminds you of a smoked asian spice blend, and the texture is so very pleasant and satisfying to chew. You will feel a satisfying yet gentle after-taste of delayed spicy heat. Don't be surprised if you're not able to stop reaching into the bag for another and another. If you are a fan of all things Teriyaki, welcome to KatzAzz Jerky Teriyaki. Fortunately, all KatzAzz Jerky bags are resealable and can be enjoyed for up to 72 hours later.

Sweet Teriyaki

INGREDIENTS: Pork, Beef, Sugars (sugar, brown sugar), Sea salt, Molasses, Spices, Hydrolyzed Soy Protein, Natural Flavour (baker's yeast extract, salt), Dehydrated garlic, Ascorbic acid, Sodium nitrite, Smoke

#1104201701



JERKY WITH ATTITUDE

Cracked Pepper

INGREDIENTS: Pork, Beef, Sugars, Salt, Spices, Monosodium glutamate, Sodium arborvitae, Garlic, Sodium nitrite, Smoke.

#1104201702



JERKY WITH ATTITUDE

Ghost Pepper is grown in north east India, and is one of the world's hottest chili peppers. Buck and I both like spice and so Ghost Pepper was our exotic pepper of choice when we blended this awesome flavour. We dialled the heat down by adding other less potent spices so that we could modify the name to include the word 'MILD' Ghost Pepper. The heat is delayed but makes itself very apparent after about 15 seconds. Perfect chewy snack to enjoy with a favourite beverage. If spiciness is your thing, this will be the one to keep close to the action. Jerky with Attitude!

Ghost Pepper

INGREDIENTS: Pork, Beef, Sugar, Salt, Soy sauce powder (soybeans, salt, methylcellulose), Spices, Garlic powder, Hydrolyzed soy protein, Monosodium glutamate, Ghost chili powder, Sodium erythorbate, Spice extract, Sodium Nitrite, Smoke.

#1104201703



JERKY WITH ATTITUDE

Maple Bacon

INGREDIENTS: Pork, Beef, Sugars (sugar, brown sugar), Salt, Spices, Hydrolyzed soy protein (hydrolyzed soy protein, sugar, safflower oil, soy oil and smoke flavour, spices, flavourings, disodium inosinate and disodium guanylate), Natural maple flavour, Dehydrated garlic, Sodium erythorbate, Sodium nitrite, Spice extracts, Smoke.

#1104201704

