

Why Use Full Synthetic LUBRATEx EP Grease ?

- ✓ Longer re-grease intervals = lower maintenance labor
- ✓ Superior high-load and shock protection
- ✓ Reliable performance in extreme heat and cold
- ✓ Reduced oxidation, hardening, and oil separation
- ✓ Improved corrosion and water resistance
- ✓ Lower total cost of ownership for end users
- ✓ Premium product that supports higher margins
- ✓ Ideal upgrade from conventional lithium grease



“LUBRATEx is engineered for customers who cant afford downtime or costly failures, and focus on longer service life, especially in demanding applications.”



HOME

LUBRATEx









FULL

SYNTHETIC

GREASE

LUBRATEx vs Conventional Lithium

FULL SYNTHETIC


	Temperature Range	-40°C to 220°C <i>Wide Range</i>	-20°C to 120°C <i>Moderate Range</i>
	Oxidation Resistance	Excellent Stability	Good Stability
	Low-Temp Performance	Flows in Cold	Thickens in Cold
	Load & Wear Protection	High Load Capacity	Moderate Load Capacity
	Water Resistance	Superior Protection	Moderate Protection
	Shear Stability	Very Durable	Prone to Breakdown
	Service Life	Extended Lifespan	Shorter Lifespan
	Cost Over Time	Lower Overall Cost	Higher Maintenance Cost

HOME

**Better Base Oil
More Processing
Higher Cost
but ... way
Better Protection**




**LUBRATEx
FULL
SYNTHETIC
GREASE**



Why Conventional Grease

- Mineral oil refined from crude oil
- Basic lithium soap thickener
- Standard additives



Full Synthetic Lithium EP Grease

- Synthetic base oil chemically engineered
- Precision lithium thickener
- Advanced additives and batchtesting